Marine Physical Laboratory

Predator/Prey Relationships Between Phytoplankton and Zooplankton

Jules S. Jaffe

Supported by the Chief of Naval Research Grant N00014-94-1-0218

Final Report

MPL-U-10/96 September 1996 19970204 006



University of California, San Diego Scripps Institution of Oceanography

DISTRIBUTION STATEMENT A

Approved for public release; Distribution Unlimited

REPORT DOCUMENTATION PAGE Form Approved OMB No. 0704-0188 Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data need ed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. 2. Report Date. September 1996 1. Agency Use Only (Leave Blank). 3. Report Type and Dates Covered. Final Report 4. Title and Subtitle. 5. Funding Numbers. Predator/Prey Relationships Between Phytoplankton and Zooplankton N00014-94-1-0218 6. Author(s). Jules S. Jaffe Project No. Task No. 8. Performing Organization 7. Performing Monitoring Agency Names(s) and Address(es). Report Number. University of California, San Diego Marine Physical Laboratory Scripps Institution of Oceanography MPL-U-10/96 San Diego, California 92152 9. Sponsoring/Monitoring Agency Name(s) and Address(es). 10. Sponsoring/Monitoring Agency Report Number. Chief of Naval Research **Ballston Centre Tower One** 800 North Quincy Street Arlington, VA 22217-5660 Code 323OP 11. Supplementary Notes. 12a. Distribution/Availability Statement. 12b. Distribution Code. 13. Abstract (Maximum 200 words). This project studies the fundamental relationships between predator macrozooplankton (i.e. euphausiids and copepods) and prey (i.e. phytoplankton) and their inter-relationship via a combination of optical serial sectioning and acoustic tracking. This program is an augmentation of our other ocean optics support from ONR and is aimed at making a practical realizable system to measure multispectral image scatter from underwater serial section images. 14. Subject Terms. 15. Number of Pages.

bio-acoustic and bio-optical imaging, serial sectioned tomography

16. Price Code.

17. Security Classification of Report.
Unclassified

18. Security Classification of Abstract.
Unclassified

19. Security Classification of Abstract.
None

Predator/Prey Relationships Between Phytoplankton and Zooplankton

Jules S. Jaffe

Final Report to the Office of Naval Research Grant N00014-94-1-0218 for the Period 12-1-93 - 9-30-95

Abstract

This project studies the fundamental relationships between predator macrozooplankton (i.e. euphausiids and copepods) and prey (i.e. phytoplankton) and their inter-relationship via a combination of optical serial sectioning and acoustic tracking. This program is an augmentation of our other ocean optics support from ONR and is aimed at making a practical realizable system to measure multispectral image scatter from underwater serial section images.

Scientific Objectives

Our objectives are to quantify the microscale and fine-scale vertical and horizontal patchiness of phytoplankton and large (.5 cm and up) zooplankton in situ. This includes knowledge of the 3-d statistics of the patchiness of phytoplankton and zooplankton on scales <1 km, to a resolution of centimeters, and their relation to the ambient physical environment. We are also interested in the correlation of zooplankton with phytoplankton patches and the dynamic response of zooplankton to phytoplankton patches under a variety of conditions.

Approach

We have proposed to address these scientific questions via a combination of data collection, analysis and modeling. Two instruments that have been recently developed in Dr. Jaffe's lab are an optical system for measuring Chl-a microstructure (OSST) and a high-frequency sonar imaging system for looking at zooplankton densities in 3-d (FishTV). Specifically, we planned in both years of this project to take both systems (sonar and optical) out to sea and deploy them in both a vertical profiling mode and at a fixed depth. In addition to the two systems, we planned to deploy a fluorometer and CTD package. The cruise plan was to go out to an area 5 -10 km due west of SIO and locate the subsurface Chl-a maximum using both the fluorometer and also the optical mapping system. The instruments would then be positioned in this maximum and pointed into the current (upstream) so as not to disturb the small-scale structure of the water. In-situ bottle samples of phytoplankton will be used to "ground truth" the fluorescence measurements. The results of the experiments will then be analyzed for coincident occurrences of both Chl-a maxima and acoustic backscatter. Intensity and variability of the signals will be analyzed to attempt to infer the densities of both phytoplankton and zooplankton, and the response of the zooplankton to the phytoplankton distribution. Results of models of the zooplankton behavior which incorporate the small-scale, observed phytoplankton distribution will be compared with the experimentally measured zooplankton densities to gain insights into the strategies that the animals may use to find food.

Tasks Completed

During the summer of July '95, our cruise was extremely successful: we were able to obtain good data from the OSST system in conjunction with the FishTV sonar. This was the first experimental deployment of the OSST system (supported by ONR grants over the years) which performed extremely well. Both systems were placed on a platform which was suspended from the ship and moored on the bottom. Vertical profiles through a strong chlorophyll maximum allowed measurement of both the fine-scale Chl-a structure as well as the localization (to within cms) of acoustically reverberant scatterers. Results of image-processing of the OSST data indicate that it was able to image Chl-a concentrations over a.65 m x.65 m x 1 cm field of view with an approximate resolution of 1 cm² with exposure times as short as 50 msec. This allows almost

isotropic resolution of 1 cm over the field of view of the system. CTD and fluorometer data were also collected. The OSST data were consistent with the fluorometer results. However, the fact that the system produced approximately 10,000 estimates of Chl-a fluorescence, as a function of position, in contrast to the one (1) produced by the fluorometer gives us far more detailed view of the fine and microscale structure of the phytoplankton.

Scientific Results

The successful deployment of the instrument package has demonstrated that it is possible to measure the fine-scale and microscale distributions of phytoplankton and zooplankton in situ, over areas equivalent to typical organism's ambits. We have just (Sept. '95) begun to analyze the data and our first impressions are that the Chl-a structure is extremely patchy over very short spatial scales. Fluorescence emission appears to change by an order of magnitude over scales as short as centimeters. Moreover, the data indicate that the largest fraction of the Chl-a emission occurred from structures that were aggregated. Interesting questions about how these structures formed, whether in fact they can be maintained, and the strategies of herbivores foraging on it are under consideration.

ONR Publications

Jaffe, J., "Monte Carlo modeling of underwater image formation: validity of linear and small angle approximations," Applied Optics, Vol. 34, (no.24):5413-21 (1995).

Jaffe, J. S., E. Reuss, A. W. Palowitch, D. McGehee and G. Chandran, "New 3-D Acousto-Optic Instruments for Small Scale Oceanic Measurements, U. S. GLOBEC Newsletter, No. 6, (April 1994).

Palowitch, A. W.; J. S. Jaffe. Three-dimensional ocean chlorophyll distributions from underwater serial-sectioned fluorescence images". Applied Optics, Vol. 33, (no.14):3023-33 (1994).

Palowitch, A. W. and J. S. Jaffe, "Three dimensional reconstruction of ocean chlorophyll distributions from underwater serial sectioned fluorescence images", Ocean Optics XII, Bergen, Norway, (June 13-15,1994).

ONR Publications

Palowitch, A. W. and J. S. Jaffe, "Optical Serial Sectioned Chlorophyl-a Microstructure", J. of Geophysical Research, Volume 100, C7, pp. 13,267-13,278 (1995).

Maffione, R. A., and J. S. Jaffe, The Average Cosine Due to an Isotropic Light Source in the Ocean, , J. of Geophysical Research, Volume 100, C7, pp. 13,179-13,192 (1995).

Jaffe, J. S. and A. W. Palowitch, "Determining Underwater optical characteristics using serial section tomography, (to appear), Proceedings of the First International Conference on Image Processing, Austin, TX, (Nov 13-16, 1994).

ONR/MPL REPORT DISTRIBUTION

Chief of Naval Research
Ballston Centre Tower One
800 North Quincy Street
Arlington, VA 22217-5660
Attn: Dr. Steve Ackleson
Code 323OP

Regional Director (1)
ONR Detachment
San Diego Regional Office
4520 Executive Drive, Suite 300
San Diego, CA 92121-3019

Commanding Officer (1) Naval Research Laboratory 4555 Overlook Avenue, S.W. Attn: Code 2627 Washington, D.C. 20375-5320

Defense Technical Information Center (4) 8725 John J. Kingman Road Suite 0944 Ft Belvoir, VA 22060-6218